

# SBM LIFE SCIENCE

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006 and its amendment 830/2015/EC



## BABY BIO HOUSEPLANT BUG KILLER

1/11

06087948

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** BABY BIO HOUSEPLANT BUG KILLER  
**Product code** 86600241

**1.2 Relevant identified uses of the substance or mixture and uses advised against Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

<b>Supplier</b>	SBM Life Science Ltd Hyperion House Fordham Road Newmarket Suffolk GREAT BRITAIN CB8 7XN
<b>Telephone</b>	+44 (0)1233 677 611
<b>Responsible Department</b>	Email: <a href="mailto:sds@sbm-company.com">sds@sbm-company.com</a>
<b>1.4 Emergency telephone no.</b>	+44 (0)800 3213079 (24hr)
<b>National Poisons Information</b>	Email : <a href="mailto:director.birmingham.unit@npis.org">director.birmingham.unit@npis.org</a>
<b>Service (NPIS) :</b>	Website : <a href="http://www.npis.org/">http://www.npis.org/</a>

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Deltamethrin



**Signal word:** Warning

**Hazard statements**

## BABY BIO HOUSEPLANT BUG KILLER

2/11

06087948

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains 5-chloro-2-methyl-isothiazol-3-one/2-methyl-isothiazol-3-one. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.
P501	Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by recycling. Contact your local council for details.

### 2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Any other liquids (AL)  
Deltamethrin 0.0075 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	Aquatic Acute 1, H400 Acute Tox. 3, H301 Acute Tox. 3, H331 Aquatic Chronic 1, H410	0.0008
Mixture of 5-Chlor-2-methyl-3(2H)-isothiazolon and 2-Methyl-2H-isothiazol-3-on	55965-84-9	Skin Corr. 1B, H314 Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Skin Sens. 1, H317 Acute Tox. 3, H301 Acute Tox. 3, H331 Acute Tox. 3, H311	> 0.0002 – < 0.0015

#### Further information

Deltamethrin	52918-63-5	M-Factor: 1,000,000 (acute), 1,000,000 (chronic)
--------------	------------	--------------------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **BABY BIO HOUSEPLANT BUG KILLER**

06087948

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

### **SECTION 4: FIRST AID MEASURES**

#### **4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Call a physician or poison control center immediately. Do NOT induce vomiting. Rinse mouth.

#### **4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing  Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### **4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
<b>Treatment</b>	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

## BABY BIO HOUSEPLANT BUG KILLER

06087948

4/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

---

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### 5.3 Advice for firefighters

**Special protective equipment for fire-fighters** In the event of fire and/or explosion do not breathe fumes.

**Further information** Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. For personal protection see section 8.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

## BABY BIO HOUSEPLANT BUG KILLER

06087948

5/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Protect from freezing. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)

**7.3 Specific end uses** Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m <sup>3</sup> (TWA)		

### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

#### Personal protective equipment

In normal use conditions personal protective equipment is not deemed to be necessary. If there is a potential for excessive exposure the following applies:

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Directive	Protective gloves complying with EN 374.

## BABY BIO HOUSEPLANT BUG KILLER

06087948

6/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	Liquid
<b>Colour</b>	colourless to light yellow
<b>Odour</b>	aromatic
<b>pH</b>	4.0 - 5.0 at 100 % (23 °C)
<b>Flash point</b>	> 100 °C
<b>Autoignition temperature</b>	> 800 °C does not ignite
<b>Density</b>	ca. 1.00 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6.4 at 25 °C
<b>Surface tension</b>	40 mN/m at 20 °C
<b>Impact Sensitivity</b>	Not impact sensitive.
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**BABY BIO HOUSEPLANT BUG KILLER**

06087948

7/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

- Acute oral toxicity** LD50 (rat) > 2,000 mg/kg  
Test conducted with a similar formulation.
- Acute inhalation toxicity** ATE > 5.0 mg/l  
Calculation method  
ATE – acute toxicity estimate  
Health injuries are not known or expected under normal use.
- Acute dermal toxicity** LD50 (rat) > 2,000 mg/kg  
Test conducted with a similar formulation.
- Skin irritation** No skin irritation (rabbit)  
Test conducted with a similar formulation.
- Eye irritation** Slight irritant effect - does not require labelling. (rabbit)  
Test conducted with a similar formulation.
- Sensitisation** Non-sensitizing. (guinea pig)  
OECD Test Guideline 406, Buehler test  
Test conducted with a similar formulation.  
Non-sensitizing. (mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)  
Test conducted with a similar formulation.

**Assessment repeated dose toxicity**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**BABY BIO HOUSEPLANT BUG KILLER**

06087948

8/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,31 µg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0,091 µg / L Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Desmodesmus subspicatus (green algae)) > 9.1 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient deltamethrin.

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Deltamethrin: not rapidly biodegradable
<b>Koc</b>	Deltamethrin: Koc: 10240000

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Deltamethrin: Bioconcentration factor (BCF) 1,400 Does not bioaccumulate.
------------------------	------------------------------------------------------------------------------

**12.4 Mobility in soil**

<b>Mobility in soil</b>	Deltamethrin: Immobile in soil
-------------------------	--------------------------------

**12.5 Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**12.6 Other adverse effects**

<b>Additional ecological information</b>	No other effects to be mentioned.
------------------------------------------	-----------------------------------

---

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	Do not empty into drains. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
<b>Contaminated packaging</b>	Not completely emptied packagings should be disposed of as hazardous waste. Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.



**BABY BIO HOUSEPLANT BUG KILLER**

06087948

9/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

**UK 'Carriage' Regulations**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No transport in bulk according to the IBC Code.

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

##### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

##### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

##### Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

##### Further information

WHO-classification: III (Slightly hazardous)

#### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

### SECTION 16: OTHER INFORMATION

#### Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

## BABY BIO HOUSEPLANT BUG KILLER

06087948

11/11

Creation date : 20/07/2017  
Revision Date:07/04/2020  
Version : 2 / Great Britain

ADR	Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
------------------------------------------------------------------------------------------------------------